# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 7 03 SEP 16 PM 1: 11

901 NORTH FIFTH STREET
KANSAS CITY, KANSAS 6610T AGENCY-REGION VII
REGIONAL HEARING CLERK

## BEFORE THE ADMINISTRATOR

IN THE MATTER OF	)
	)
	) Docket No. CWA-07-2003-0280
American Heritage Land	)
Development, L.L.C.	)
The Bluffs of Romaine	) FINDINGS OF VIOLATION,
Saline Road and Romaine Creek Road	) ORDER FOR COMPLIANCE
Fenton, Missouri	)
	j
Respondent	j
•	j
Proceedings under Section 309(g) of the	ĺ
Clean Water Act, 33 U.S.C. § 1319(g)	ĺ
, (B)	ĺ
	<b></b> /

## **Preliminary Statement**

- 1. The following Findings of Violation and Order for Compliance ("Order") are made and issued pursuant to the authority of Section 309(a)(3) of the Clean Water Act ("CWA"), 33 U.S.C. § 1319(a)(3). This authority has been delegated by the Administrator of the United States Environmental Protection Agency ("EPA") to the Regional Administrator, EPA Region VII and further delegated to the Director of Region 7's Water, Wetlands, and Pesticides Division.
- 2. Respondent is American Heritage Land Development, L.L.C. a company incorporated under the laws of Missouri and authorized to conduct business in Missouri.

## Statutory and Regulatory Framework

- 3. Section 301(a) of the CWA, 33 U.S.C. § 1311(a), prohibits the discharge of pollutants except in compliance with, inter alia, Section 402 of the CWA, 33 U.S.C. § 1342. Section 402 of the CWA, 33 U.S.C. § 1342, provides that pollutants may be discharged only in accordance with the terms of a National Pollutant Discharge Elimination System ("NPDES") permit issued pursuant to that Section.
- 4. The CWA prohibits the discharge of "pollutants" from a "point source" into a "navigable water" of the United States, as these terms are defined by Section 502 of the CWA, 33 U.S.C. § 1362.

- 5. Section 402(p) of the CWA, 33 U.S.C. § 1342(p), sets forth requirements for the issuance of NPDES permits for the discharge of storm water. Section 402(p) of the CWA, 33 U.S.C. § 1342(p), requires, in part, that a discharge of storm water associated with an industrial activity must conforn with the requirements of an NPDES permit issued pursuant to Sections 301 and 402 of the CWA, 33 U.S.C. §§ 1311 and 1342.
- 6. Pursuant to Section 402(p) of the CWA, 33 U.S.C. § 1342(p), EPA promulgated regulations setting forth the NPDES permit requirements for storm water discharges at 40 C.F.R. § 122.26.
- 7. 40 C.F.R. § 122.26(a)(1)(ii) and 122.26(c) requires dischargers of storm water associated with industrial activity to apply for an individual permit or to seek coverage under a promulgated storm water general permit.
- 8. 40 C.F.R. § 122.26(b)(14)(x) defines "storm water discharge associated with industrial activity", in part, as construction activity including clearing, grading, and excavation, except operations that result in the disturbance of less than five (5) acres of total land area which are not part of a larger common plan of development or sale.
- 9. The Missouri Department of Natural Resources ("MDNR") is the state agency with the authority to administer the federal NPDES program in Missouri pursuant to Section 402 of the CWA, 33 U.S.C. § 1342. EPA maintains concurrent enforcement authority with delegated states for violations of the CWA.
- 10. The MDNR issued a General Permit for the discharge of storm water under the NPDES, Permit No MO-R109xxx. The General Permit became effective on March 8, 2002, and expires on March 7, 2007. The permit governs storm water discharges associated with construction or land disturbance activity (e.g., clearing, grubbing, excavating, grading, and other activity that results in the destruction of the root zone). The permit also applies to land disturbance activities near valuable resource waters.

# Factual Background

- 11. Respondent is a "person" as defined by Section 502(5) of the CWA, 33 U.S.C.  $\S$  1362(5).
- 12. At all times relevant to this action, Respondent was the owner and/or operator of a construction site known as The Bluffs of Romaine located at Saline Road and Romaine Creek Road in Fenton, Missouri (the "Site"). Construction activities occurred at the Site including clearing, grading and excavation which disturbed five (5) or more acres of total land area or

which disturbed less than five (5) acres of total land area that was part of a larger common plan of development or sale.

- 13. Storm water, snow melt, surface drainage and runoff water leaves Respondent's facility and goes into a tributary to Romaine Creek. The runoff and drainage from Respondent's facility is "storm water" as defined by 40 C.F.R. § 122.26(b)(13).
- 14. Storm water contains "pollutants" as defined by Section 502(6) of the CWA, 33 U.S.C. § 1362(6).
- 15. Respondent's storm water runoff is the "discharge of a pollutant" as defined by CWA Section 502(12), 33 U.S.C. § 1362(12).
- 16. The Site was a "point source" which caused the "discharge of pollutants" as defined by CWA Section 502, 33 U.S.C. § 1362.
- 17. Respondent discharged pollutants into a tributary of Romaine Creek. Romaine Creek is a "navigable water" as defined by CWA Section 502, 33 U.S.C § 1362.
- 18. Respondent's discharge of pollutants associated with an industrial activity, as defined by 40 C.F.R. § 122.26(b)(14)(x), requires a permit issued pursuant to Section 402 of the CWA, 33 U.S.C. § 1342.
- 19. Respondent applied for and was issued NPDES permit coverage under the General Permit described in paragraph 10 above. MDNR assigned Respondent Permit No. MO-R109530 which was issued on March 21, 2002 (the "Permit").
- 20. On November 6, 2002, contractors for EPA performed an inspection of the Site under the authority of Section 308(a) of the CWA, 33 U.S.C. § 1318(a). The purpose of the inspection was to evaluate the treatment and disposal of storm water at the site in accordance with the CWA.

## Findings of Violation

## Failure to Retain a Copy of the General Permit - Count 1

21. The facts stated in paragraphs 11 through 20 above are herein incorporated.

- 22. Part I of the Records section of Respondent's permit requires the permitee to retain a copy of the General Permit at a site which is readily available from the permitted site until final stabilization of a site is achieved.
- 23. The inspection referenced in paragraph 20 above, revealed that Respondent did not have a copy of the General Permit at the permit site.
- 24. Respondent's failure to have the General Permit readily available from the permitted site is a violation of Part 1 of the Records section of Respondent's General Permit, and as such, is a violation of Sections 301(a) and 402(p) of the CWA, 33 U.S.C. § 1311(a) and § 1342(p).

# Failure to Install Appropriate Best Management Practices - Count 2

- 25. The facts stated in paragraphs 11 through 20 above are herein incorporated.
- 26. Part 8.e. of the Requirements and Guidelines section of Respondent's permit states that storm water runoff from disturbed areas which leave the site boundary shall pass through an appropriate impediment to sediment movement, such as a sedimentation basin, sediment trap, silt fence, etc., prior to leaving the construction site.
- 27. The inspection referenced in paragraph 20 above, revealed that Respondent did not install appropriate impediments to sediment movement for storm water to pass through prior to leaving the construction site at drain inlets and lot perimeters.
- 28. Respondent's failure to install appropriate impediments to sediment movement is a violation of Part 8.e. of the Requirements and Guidelines section of Respondent's General Permit, and as such, is a violation of Sections 301(a) and 402(p) of the CWA, 33 U.S.C. § 1311(a) and § 1342(p).

# Order For Compliance

- 29. Based on the Findings of Fact and Findings of Violation set forth above, and pursuant to the authority of Sections 308(a) and 309(a)(3) of the CWA, 33 U.S.C. §§ 1318(a) and 1319(a)(3), Respondent is hereby ORDERED to take the actions described in paragraphs 30 through 32.
- 30. Within thirty (30) days of the effective date of this Order, Respondent shall take whatever corrective action is necessary to correct the deficiencies and eliminate and prevent recurrence of the violations cited above, and to come into compliance with all of the applicable requirements of the permit.

- 31. Within thirty (30) days of the effective date of this Order, the Respondent shall submit a written report detailing the specific actions taken to correct the violations cited herein and explaining why such actions are anticipated to be sufficient to prevent recurrence of these or similar violations.
- 32. In the event that Respondent believes complete correction of the violations cited herein is not possible within thirty (30) days of the effective date of this Order, the Respondent shall, within those thirty (30) days, submit a comprehensive written plan for the elimination of the cited violations. Such plan shall describe in detail the specific corrective actions to be taken and why such actions are sufficient to correct the violations. The plan shall include a detailed schedule for the elimination of the violations within the shortest possible time, as well as measures to prevent these or similar violations from recurring.

#### **Submissions**

33. All documents required to be submitted to EPA by this Order, shall be submitted by mail to:

Cynthia Sans
Water, Wetlands, and Pesticides Division
U.S. Environmental Protection Agency - Region 7
901 North Fifth Street
Kansas City, KS 66101

34. A copy of documents required to be submitted to MDNR by this Order, shall be submitted by mail to:

Mr. Kevin Mohammadi, Chief Enforcement Section Water Pollution Control Program Missouri Dept. of Natural Resources P.O. Box 176 Jefferson City, Missouri 65102

### General Provisions

# Effect of Compliance with the Terms of this Order for Compliance

35. Compliance with the terms of this Order shall not relieve Respondent of liability for, or preclude EPA from, initiating an administrative or judicial enforcement action to recover

penalties for any violations of the CWA, or to seek additional injunctive relief, pursuant to Section 309 of the CWA, 33 U.S.C. § 1319.

36. This Order does not constitute a waiver or a modification of any requirements of the Clean Water Act, 33 U.S.C. § 1251 et seq., all of which remain in full force and effect. The EPA retains the right to seek any and all remedies available under Sections 309(b), (c), (d) or (g) of the Act, 33 U.S.C. § 1319(b), (c), (d) or (g), for any violation cited in this Order. Issuance of this Order shall not be deemed an election by EPA to forgo any civil or criminal action to seek penalties, fines, or other appropriate relief under the Act for any violation whatsoever.

## Access and Requests for Information

37. Nothing in this Order shall limit EPA's right to obtain access to, and/or to inspect Respondent's facility, and/or to request additional information from Respondent, pursuant to the authority of Section 308 of the CWA, 33 U.S.C. § 1318 and/or any other authority.

## Severability

38. If any provision or authority of this Order, or the application of this Order to Respondent, is held by federal judicial authority to be invalid, the application to Respondent of the remainder of this Order shall remain in full force and effect and shall not be affected by such a holding.

#### Effective Date

39. The terms of this Order shall be effective and enforceable against Respondent upon its receipt of an executed copy of the Order.

#### Termination

40. This Order shall remain in effect until a written notice of termination is issued by an authorized representative of the U.S. Environmental Protection Agency. Such notice shall not be given until all of the requirements of this Order have been met.

Issued this

day of September, 2003.

Leo J. Alderman

Director

Water, Wetlands, and Pesticides Division U.S. Environmental Protection Agency

Region 7

901 North Fifth Street

Kansas City, Kansas 66101

Jenna Wischmeyer

Assistant Regional Counsel

U.S. Environmental Protection Agency

Region 7

901 North Fifth Street

Kansas City, Kansas 66101

## CERTIFICATE OF SERVICE

I certify that on the date noted below I hand delivered the original and one true copy of this Findings of Violation and Administrative Order for Compliance to the Regional Hearing Clerk, United States Environmental Protection Agency, 901 North Fifth Street, Kansas City, Kansas 66101.

I further certify that on the date noted below I sent a copy of the foregoing Order for Compliance by first class certified mail, return receipt requested, to::

> Sean M. Flower Registered Agent 1395 Dougherty Ferry Road St. Louis, Missouri 63021

Mr. Kevin Mohammadi, Chief Enforcement Section Water Pollution Control Program Missouri Dept. of Natural Resources P.O. Box 176 Jefferson City, Missouri 65102